



1/12

**Reagents**

a: Triphosgene, pyridine, CH_2Cl_2 ; b: pyridine, CH_2Cl_2 ; c: TBTU, DIPEA, DMF;
d: SO_3 , pyridine, TEA, CH_2Cl_2 , DMSO.

Fig.1


2/12

Reagents

a: Triphosgene, pyridine, CH_2Cl_2 ; b: pyridine, CH_2Cl_2 ; c: TBTU, DIPEA, DMF;
 d: SO_3 , pyridine, TEA, CH_2Cl_2 , DMSO.

Fig.2


3/12



a: LiBH₄, THF; b: SO₃, pyridine, TEA, CH₂Cl₂, DMSO; c: MeOH, SOCl₂, CH(OCH₃)₃; d: (i) Raney Nickel, EtOH, (ii) H₂, Pd-C, EtOH.

Fig.3

4/12



3

Fig.4

5/12




Fig.5

6/12




Fig.6

7/12





Fig.7

8/12



In vitro cytotoxicity assay for AG 105 (squares); compound 12 + UVA 2h (circles) and compound 12 + UVA 5h (triangles).

Fig. 8

9/12




Fig.9

10/12




Fig.10

11/12




Fig.11

12/12




Fig.12

SUBSTITUTE SHEET (RULE 26)